



ELSEVIER

Mechanisms of Development 54 (1995) 251–252



## Author index

### Volume 54 (1996)

- Åberg, T., see Vaahtokari, A. 54, 39
- Aberger, F., The *Xenopus* homologue of hepatocyte growth factor-like protein is specifically expressed in the presumptive neural plate during gastrulation 54, 23
- Ando, M., see Ohta, K. 54, 59
- Berkenstam, A., see Pettersson, K. 54, 211
- Binder, O., see Kühl, M. 54, 71
- Bouché, M., see Polimeni, M. 54, 107
- Bouillet, P., see Chazaud, C. 54, 83
- Broos, L., see Zwart, R. 54, 185
- Calothy, G., see Casado, F.J. 54, 237
- Carlsson, B., see Pettersson, K. 54, 211
- Casado, F.J., *QR1*, a retina-specific gene, encodes an extracellular matrix protein exclusively expressed during neural retina differentiation 54, 237
- Chambon, P., see Chazaud, C. 54, 83
- Chazaud, C., AP-2.2, a novel gene related to AP-2, is expressed in the forebrain, limbs and face during mouse embryogenesis 54, 83
- Cho, E.S., see Hellmich, H.L. 54, 95
- Cossu, G., see Polimeni, M. 54, 107
- de Boer, J., see de Vries, C.J.M. 54, 225
- De Gregorio, L., see Polimeni, M. 54, 107
- de Roos, K., see van der Wees, J. 54, 173
- de Vries, C.J.M., Active complex formation of type I and type II activin and TGF $\beta$  receptors in vivo as studied by overexpression in zebrafish embryos 54, 225
- Décimo, D., see Chazaud, C. 54, 83
- Destrée, O.H.J., see van der Wees, J. 54, 173
- Diaz, R.J., Graded effect of *tailless* on posterior gut development: molecular basis of an allelic series of a nuclear receptor gene 54, 119
- Dollé, P., see Chazaud, C. 54, 83
- Dragani, T.A., see Polimeni, M. 54, 107
- Duboule, D., see van der Hoeven, F. 54, 9
- Durston, A.J., see van der Wees, J. 54, 173
- Feichtinger, R., see Schnabel, R. 54, 133
- Finnemann, S., see Kühl, M. 54, 71
- Fraudeau, N., see van der Hoeven, F. 54, 9
- Giorgi, S., see Polimeni, M. 54, 107
- Godsave, S.F., see van der Wees, J. 54, 173
- Grosveld, G., see Zwart, R. 54, 185
- Harbecke, R., see Diaz, R.J. 54, 119
- Hellmich, H.L., Embryonic expression of glial cell-line derived neurotrophic factor (GDNF) suggests multiple developmental roles in neural differentiation and epithelial–mesenchymal interactions 54, 95
- Hikasa, H., see Tashiro, K. 54, 161
- Hirokawa, K., see Ohta, K. 54, 59
- Holewa, B., Transcriptional hierarchy in *Xenopus* embryogenesis: HNF4 a maternal factor involved in the developmental activation of the gene encoding the tissue specific transcription factor HNF1 $\alpha$  (LFB1) 54, 45
- Hutter, H., see Schnabel, R. 54, 133
- Huylebroeck, D., see de Vries, C.J.M. 54, 225
- Ito, Y., see Tashiro, K. 54, 161
- Iwama, A., see Ohta, K. 54, 59
- Izpisua-Belmonte, J.-C., see van der Hoeven, F. 54, 9
- Janning, W., see Diaz, R.J. 54, 119
- Jeanny, J.-C., see Casado, F.J. 54, 237
- Jernvall, J., see Vaahtokari, A. 54, 39
- Joore, J., see de Vries, C.J.M. 54, 225
- Keränen, S., see Vaahtokari, A. 54, 39
- Kimelman, D., see von Bubnoff, A. 54, 149
- Koga, C., see Tashiro, K. 54, 161
- Kos, L., see Hellmich, H.L. 54, 95
- Krone, P.H., see Sass, J.B. 54, 195
- Kühl, M., Dominant negative expression of a cytoplasmically deleted mutant of XB/U-cadherin disturbs mesoderm migration during gastrulation in *Xenopus laevis* 54, 71
- Lecoq, O., see Casado, F.J. 54, 237
- Lengyel, J.A., see Diaz, R.J. 54, 119
- Lorenz, P., see Holewa, B. 54, 45
- Mahon, K.A., see Hellmich, H.L. 54, 95
- Matharu, P.J., see van der Wees, J. 54, 173
- Mattsson, R., see Pettersson, K. 54, 211
- Meijer, D., see Zwart, R. 54, 185
- Miyazono, K., see de Vries, C.J.M. 54, 225
- Molinaro, M., see Polimeni, M. 54, 107
- Nakamura, H., see Tashiro, K. 54, 161
- Nakamura, M., see Ohta, K. 54, 59
- Ohlsson, R., see Pettersson, K. 54, 211
- Ohta, K., The receptor tyrosine kinase, Cck8, is transiently expressed on subtypes of motoneurons in the spinal cord during development 54, 59
- Oulad-Abdelghani, M., see Chazaud, C. 54, 83
- Pettersson, K., Expression of a novel member of estrogen response element-binding nuclear receptors is restricted to the early stages of chorion formation during mouse embryogenesis 54, 211
- Pierani, A., see Casado, F.J. 54, 237
- Pignoni, F., see Diaz, R.J. 54, 119
- Pogge v. Strandmann, E., see Holewa, B. 54, 45

- Polimeni, M., Differentiation dependent expression in muscle cells of ZT3, a novel zinc finger factor differentially expressed in embryonic and adult tissues 54, 107
- Pouponnot, C., see Casado, F.J. 54, 237
- Richter, K., see Aberger, F. 54, 23
- Ryffel, G.U., see Holewa, B. 54, 45
- Sass, J.B., Specific localization of zebrafish *hsp90α* mRNA to *myoD*-expressing cells suggests a role for *hsp90α* during normal muscle development 54, 195
- Schmidt, G., see Aberger, F. 54, 23
- Schmidt, J.E., see von Bubnoff, A. 54, 149
- Schnabel, H., see Schnabel, R. 54, 133
- Schnabel, R., *mex-1* and the general partitioning of cell fate in the early *C. elegans* embryo 54, 133
- Shiokawa, K., see Tashiro, K. 54, 161
- Singer, J.B., see Diaz, R.J. 54, 119
- Sordino, P., see van der Hoeven, F. 54, 9
- Staab, S., Female germ cells of *Drosophila* require zygotic *ovo* and *otu* product for survival in larvae and pupae respectively 54, 205
- Steinmann-Zwicky, M., see Staab, S. 54, 205
- Strähle, U., see de Vries, C.J.M. 54, 225
- Suda, T., see Ohta, K. 54, 59
- Svensson, K., see Pettersson, K. 54, 211
- Sweeney, G.E., see van der Wees, J. 54, 173
- Tanaka, H., see Ohta, K. 54, 59
- Tanaka, S., see Ohta, K. 54, 59
- Tashiro, K., Cloning and expression studies of cDNA for a novel *Xenopus* cadherin (XmN-cadherin), expressed maternally and later neural-specifically in embryogenesis 54, 161
- Thesleff, I., see Vahtokari, A. 54, 39
- Tooi, O., see Tashiro, K. 54, 161
- Vahtokari, A., The enamel knot as a signaling center in the developing mouse tooth 54, 39
- van Achterberg, T.A.E., see de Vries, C.J.M. 54, 225
- van den Eijnden-van Raaij, A.J.M., see de Vries, C.J.M. 54, 225
- van der Hoeven, F., Teleost *HoxD* and *HoxA* genes: comparison with tetrapods and functional evolution of the *HOXD* complex 54, 9
- van der Wees, J., Developmental expression and differential regulation by retinoic acid of *Xenopus COUP-TF-A* and *COUP-TF-B* 54, 173
- Verschueren, K., see de Vries, C.J.M. 54, 225
- von Bubnoff, A., The *Xenopus laevis* homeobox gene *Xgbx-2* is an early marker of anteroposterior patterning in the ectoderm 54, 149
- Wedlich, D., see Kühl, M. 54, 71
- Weigner, C., see Schnabel, R. 54, 133
- Weinberg, E.S., see Sass, J.B. 54, 195
- Zapp, D., see Holewa, B. 54, 45
- Zimmer, A., see Hellmich, H.L. 54, 95
- Zivkovic, D., see de Vries, C.J.M. 54, 225
- Zwart, R., The restricted expression pattern of the POU factor Oct-6 during early development of the mouse nervous system 54, 185



ELSEVIER

Mechanisms of Development 54 (1996) 253-255



## Subject index

Volume 54 (1996)

**Activin receptors;** Zebrafish; Axis formation 54, 225

**Amniotic folds/chorion;** Orphan receptor; Estrogen response element; hsp90 54, 211

**Anteroposterior patterning;** *Xenopus* embryogenesis; Homeobox genes; *Xgbx-2*; *Gbx-2*; *CHox7*; Retinoic acid 54, 149

**AP-2 gene family;** Mouse development; Transcription factor; RNA in situ hybridization; AP-2.2 pattern of expression 54, 83

**AP-2.2 pattern of expression;** Mouse development; AP-2 gene family; Transcription factor; RNA in situ hybridization 54, 83

**Axis formation;** Zebrafish; Activin receptors 54, 225

**Bmp;** *Shh*; *Sonic hedgehog*; *Bone morphogenetic protein*; *Fgf*; Morphogenesis 54, 39

**Bone morphogenetic protein;** *Shh*; *Sonic hedgehog*; *Bmp*; *Fgf*; Morphogenesis 54, 39

**Brain development;** Oct-6; POU domain; Neuroectoderm; Prosomere 54, 185

**C. elegans embryo;** *mex-1*; Cell lineage analysis 54, 133

**Cadherin;** *Xenopus*; cDNA library; Maternally expressed neural cadherin 54, 161

**cDNA library;** *Xenopus*; Cadherin; Maternally expressed neural cadherin 54, 161

**Cek8;** Motoneuron; Receptor tyrosine kinase 54, 59

**Cell adhesion;** *Xenopus* embryogenesis; Convergent extension 54, 71

**Cell lineage analysis;** *mex-1*; *C. elegans* embryo 54, 133

**Central nervous system;** Gene expression; Kidney development; Intestine development; Mesenchyme 54, 95

**CHox7;** *Xenopus* embryogenesis; Homeobox genes; Anteroposterior patterning; *Xgbx-2*; *Gbx-2*; Retinoic acid 54, 149

**Chromosome mapping;** Muscle development; Muscle differentiation; Regulatory factors; Zinc finger proteins; Gene expression 54, 107

**Convergent extension;** *Xenopus* embryogenesis; Cell adhesion 54, 71

**Development;** Neural retina; Extracellular matrix; Müller cells; Photoreceptors 54, 237

**Estrogen response element;** Orphan receptor; Amniotic folds/chorion; hsp90 54, 211

**Extracellular matrix;** Neural retina; Development; Müller cells; Photoreceptors 54, 237

**Fate mapping;** Gut development; Nuclear receptor; Transcription factor; Mutant DNA sequence 54, 119

**Fgf;** *Shh*; *Sonic hedgehog*; *Bmp*; *Bone morphogenetic protein*; Morphogenesis 54, 39

**Fish;** *Hox* genes; Tetrapods; *HOXD* complex 54, 9

**Gbx-2;** *Xenopus* embryogenesis; Homeobox genes; Anteroposterior patterning; *Xgbx-2*; *CHox7*; Retinoic acid 54, 149

**Gene expression;** Central nervous system; Kidney development; Intestine development; Mesenchyme 54, 95

**Gene expression;** Muscle development; Muscle differentiation; Regulatory factors; Zinc finger proteins; Chromosome mapping 54, 107

**Gene injection;** Transcriptional cascade; Maternal gradient; Promoter; Nuclear receptor 54, 45

**Germline;** Sex determination; Sexual dimorphism 54, 205

**Gut development;** Fate mapping; Nuclear receptor; Transcription factor; Mutant DNA sequence 54, 119

**Heat shock;** hsp90; Zebrafish; MyoD; Myogenesis 54, 195

**Hepatocyte growth factor-like (HGF-like) protein;** Neural induction; *Xenopus*; Neural plate 54, 23

**Homeobox genes;** *Xenopus* embryogenesis; Anteroposterior patterning; *Xgbx-2*; *Gbx-2*; *CHox7*; Retinoic acid 54, 149

**Hox genes;** Tetrapods; Fish; *HOXD* complex 54, 9

**HOXD complex;** *Hox* genes; Tetrapods; Fish 54, 9

**hsp90;** Heat shock; Zebrafish; MyoD; Myogenesis 54, 195

**hsp90;** Orphan receptor; Amniotic folds/chorion; Estrogen response element 54, 211

- Intestine development;** Gene expression; Central nervous system; Kidney development; Mesenchyme 54, 95
- Kidney development;** Gene expression; Central nervous system; Intestine development; Mesenchyme 54, 95
- Maternal gradient;** Transcriptional cascade; Gene injection; Promoter; Nuclear receptor 54, 45
- Maternally expressed neural cadherin;** *Xenopus*; Cadherin; cDNA library 54, 161
- Mesenchyme;** Gene expression; Central nervous system; Kidney development; Intestine development 54, 95
- mex-1;** *C. elegans* embryo; Cell lineage analysis 54, 133
- Morphogenesis;** *Shh*; *Sonic hedgehog*; *Bmp*; *Bone morphogenetic protein*; *Fgf* 54, 39
- Motoneuron;** Receptor tyrosine kinase; Cdk8 54, 59
- Mouse development;** AP-2 gene family; Transcription factor; RNA in situ hybridization; AP-2.2 pattern of expression 54, 83
- Müller cells;** Neural retina; Development; Extracellular matrix; Photoreceptors 54, 237
- Muscle development;** Muscle differentiation; Regulatory factors; Zinc finger proteins; Gene expression; Chromosome mapping 54, 107
- Muscle differentiation;** Muscle development; Regulatory factors; Zinc finger proteins; Gene expression; Chromosome mapping 54, 107
- Mutant DNA sequence;** Fate mapping; Gut development; Nuclear receptor; Transcription factor 54, 119
- MyoD;** Heat shock; hsp90; Zebrafish; Myogenesis 54, 195
- Myogenesis;** Heat shock; hsp90; Zebrafish; MyoD 54, 195
- Neural induction;** Hepatocyte growth factor-like (HGF-like) protein; *Xenopus*; Neural plate 54, 23
- Neural pattern;** *Xenopus*; *xCOUP-TF-A*; *xCOUP-TF-B*; Retinoic acid 54, 173
- Neural plate;** Hepatocyte growth factor-like (HGF-like) protein; Neural induction; *Xenopus* 54, 23
- Neural retina;** Development; Extracellular matrix; Müller cells; Photoreceptors 54, 237
- Neuroectoderm;** Oct-6; POU domain; Brain development; Prosomere 54, 185
- Nuclear receptor;** Fate mapping; Gut development; Transcription factor; Mutant DNA sequence 54, 119
- Nuclear receptor;** Transcriptional cascade; Maternal gradient; Gene injection; Promoter 54, 45
- Oct-6;** POU domain; Neuroectoderm; Brain development; Prosomere 54, 185
- Orphan receptor;** Amniotic folds/chorion; Estrogen response element; hsp90 54, 211
- Photoreceptors;** Neural retina; Development; Extracellular matrix; Müller cells 54, 237
- POU domain;** Oct-6; Neuroectoderm; Brain development; Prosomere 54, 185
- Promoter;** Transcriptional cascade; Maternal gradient; Gene injection; Nuclear receptor 54, 45
- Prosomere;** Oct-6; POU domain; Neuroectoderm; Brain development 54, 185
- Receptor tyrosine kinase;** Motoneuron; Cdk8 54, 59
- Regulatory factors;** Muscle development; Muscle differentiation; Zinc finger proteins; Gene expression; Chromosome mapping 54, 107
- Retinoic acid;** *Xenopus* embryogenesis; Homeobox genes; Anteroposterior patterning; *Xgbx-2*; *Gbx-2*; *CHox7* 54, 149
- Retinoic acid;** *Xenopus*; *xCOUP-TF-A*; *xCOUP-TF-B*; Neural pattern 54, 173
- RNA in situ hybridization;** Mouse development; AP-2 gene family; Transcription factor; AP-2.2 pattern of expression 54, 83
- Sex determination;** Germline; Sexual dimorphism 54, 205
- Sexual dimorphism;** Germline; Sex determination 54, 205
- Shh;** *Sonic hedgehog*; *Bmp*; *Bone morphogenetic protein*; *Fgf*; Morphogenesis 54, 39
- Sonic hedgehog;** *Shh*; *Bmp*; *Bone morphogenetic protein*; *Fgf*; Morphogenesis 54, 39
- Tetrapods;** *Hox* genes; Fish; *HOXD* complex 54, 9
- Transcription factor;** Fate mapping; Gut development; Nuclear receptor; Mutant DNA sequence 54, 119
- Transcription factor;** Mouse development; AP-2 gene family; RNA in situ hybridization; AP-2.2 pattern of expression 54, 83
- Transcriptional cascade;** Maternal gradient; Gene injection; Promoter; Nuclear receptor 54, 45
- xCOUP-TF-A;** *Xenopus*; *xCOUP-TF-B*; Retinoic acid; Neural pattern 54, 173
- xCOUP-TF-B;** *Xenopus*; *xCOUP-TF-A*; Retinoic acid; Neural pattern 54, 173
- Xenopus embryogenesis;** Cell adhesion; Convergent extension 54, 71
- Xenopus embryogenesis;** Homeobox genes; Anteroposterior patterning; *Xgbx-2*; *Gbx-2*; *CHox7*; Retinoic acid 54, 149
- Xenopus;** Cadherin; cDNA library; Maternally expressed neural cadherin 54, 161
- Xenopus;** Hepatocyte growth factor-like (HGF-like) protein; Neural induction; Neural plate 54, 23
- Xenopus;** *xCOUP-TF-A*; *xCOUP-TF-B*; Retinoic acid; Neural pattern 54, 173

***Xgbx-2***; *Xenopus* embryogenesis; Homeobox genes; Anteroposterior patterning; *Gbx-2*; *CHox7*; Retinoic acid 54, 149

**Zebrafish**; Activin receptors; Axis formation 54, 225

**Zebrafish**; Heat shock; hsp90; MyoD; Myogenesis 54, 195

**Zinc finger proteins**; Muscle development; Muscle differentiation; Regulatory factors; Gene expression; Chromosome mapping 54, 107